

ARTIFACT SHEET

Enter artifact number below. Artifact number is application number + artifact type code (see list below) + sequential letter (A, B, C ...). The first artifact folder for an artifact type receives the letter A, the second B, etc..
Examples: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB

09 522 763 ZA

Indicate quantity of a single type of artifact received but not scanned. Create individual artifact folder/box and artifact number for each Artifact Type.

- ☐ CD(s) containing computer program listing
Doc Code: Computer Artifact Type Code: P
- ☐ Stapled Set(s) of Extra Color Drawings/Photographs
Doc Code: Artifact Artifact Type Code: C
- ☐ CD(s) containing pages of specification ☐
and/or sequence listing ☐ Artifact Type Code: S
Doc Code: Artifact
- ☐ CD(s) with content unspecified
Doc Code: Artifact Artifact Type Code: U
- ☐ Microfilm(s)
Doc Code: Artifact Artifact Type Code: F
- ☐ Video tape(s)
Doc Code: Artifact Artifact Type Code: V
- ☐ Model(s)
Doc Code: Artifact Artifact Type Code: M
- ☐ Bound Document(s)
Doc Code: Artifact Artifact Type Code: B
- ☒ Z Other, description: US Grants
Doc Code: Artifact Artifact Type Code: Z



RECEIVED

JAN 30 2002

TC 1700

The United States of America



The Commissioner of Patents and Trademarks

Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.

If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.

If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extension.

Bence Lehman

Commissioner of Patents and Trademarks

Marjorie V. Turner



US005802960A

United States Patent [19]

Graj et al.

[11] **Patent Number:** 5,802,960[45] **Date of Patent:** Sep. 8, 1998[54] **ERGONOMIC COOKWARE**[75] **Inventors:** Raymond Graj, New York; Simon Graj, Pleasantville; Eric Gustavsen, New York, all of N.Y.[73] **Assignee:** Graj & Gustavsen, New York, N.Y.[21] **Appl. No.:** 980,037[22] **Filed:** Nov. 26, 1997[51] **Int. Cl.⁶** A47J 27/00; A47J 37/00; A47J 45/06; A47B 95/02[52] **U.S. Cl.** 99/403; 16/110 R; 16/110.5; 16/114 A; 16/110 A; 99/337; 99/422; 294/57; 126/373; 126/390[58] **Field of Search** 99/337, 338, 403, 99/410, 422, 425, 646 R; 43/23, 25; 16/110 R, 110.5, 111 R, 114 A, 114 R, 110 A, DIG. 12; 126/390, 369, 373; 220/316, 735, 755, 752, 759, 912; 294/57, 58, 19.1, 1.1, 25; D7/357, 361, 395[56] **References Cited****U.S. PATENT DOCUMENTS**

4,014,129 3/1977 Capra 43/23

4,462,388	7/1984	Bohl et al.	126/390
4,574,777	3/1986	Bohl et al.	99/425 X
4,653,468	3/1987	Lemme et al.	126/373
4,711,366	12/1987	Chen	99/337 X
4,822,087	4/1989	DeCarlo	294/58
4,926,521	5/1990	Gagnepain	16/110 A
5,125,130	6/1992	Stanish	16/110 R
5,313,735	5/1994	Latouche	43/25
5,365,832	11/1994	Gaydoul	99/422
5,373,608	12/1994	Welch	99/403 X
5,666,874	9/1997	Wang	99/348
5,715,570	2/1998	Hyun	16/110 A

Primary Examiner—Timothy F. Simone*Attorney, Agent, or Firm*—Amster, Rothstein & Ebenstein[57] **ABSTRACT**

The present invention relates to heat resistant ergonomic cookware that incorporates a handle which utilizes a lever principal to distribute the weight from the cookware to the underside of the forearm, is equipped with an upright handle grip, and is angled so as to facilitate an increase range of pouring motion.

28 Claims, 5 Drawing Sheets